DECISION DOCUMENT
NATIONWIDE PERMIT 41

This document discusses the factors considered by the Corps of Engineers (Corps) during the issuance process for this Nationwide Permit (NWP). This document contains: (1) the public interest review required by Corps regulations at 33 CFR 320.4(a)(1) and (2); (2) a discussion of the environmental considerations necessary to comply with the National Environmental Policy Act; and (3) the impact analysis specified in Subparts C through F of the 404(b)(1) Guidelines (40 CFR Part 230). This evaluation of the NWP includes a discussion of compliance with applicable laws, consideration of public comments, an alternatives analysis, and a general assessment of individual and cumulative impacts, including the general potential effects on each of the public interest factors specified at 33 CFR 320.4(a).

1.0 Text of the Nationwide Permit

Reshaping Existing Drainage Ditches. Discharges of dredged or fill material into non-tidal waters of the United States, excluding non-tidal wetlands adjacent to tidal waters, to modify the cross-sectional configuration of currently serviceable drainage ditches constructed in waters of the United States, for the purpose of improving water quality by regrading the drainage ditch with gentler slopes, which can reduce erosion, increase growth of vegetation, and increase uptake of nutrients and other substances by vegetation. The reshaping of the ditch cannot increase drainage capacity beyond the original as-built capacity nor can it expand the area drained by the ditch as originally constructed (i.e., the capacity of the ditch must be the same as originally constructed and it cannot drain additional wetlands or other waters of the United States). Compensatory mitigation is not required because the work is designed to improve water quality.

This NWP does not authorize the relocation of drainage ditches constructed in waters of the United States; the location of the centerline of the reshaped drainage ditch must be approximately the same as the location of the centerline of the original drainage ditch. This NWP does not authorize stream channelization or stream relocation projects.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity, if more than 500 linear feet of drainage ditch will be reshaped. (See general condition 27.) (Section 404)

1.1 Requirements

General conditions of the NWPs are in the Federal Register notice announcing the issuance of this NWP. Pre-construction notification requirements, additional conditions, limitations, and restrictions are in 33 CFR part 330.

1.2 Statutory Authority

- Section 404 of the Clean Water Act (33 U.S.C. 1344)

1.3 Compliance with Related Laws (33 CFR 320.3)

1.3.1 General

NWPs are a type of general permit designed to authorize certain activities that have minimal adverse effects on the aquatic environment and generally comply with the related laws cited in 33 CFR 320.3. Activities that result in more than minimal adverse effects on the aquatic environment, individually or cumulatively, cannot be authorized by NWPs. Individual review of each activity authorized by an NWP will not normally be performed, except when preconstruction notification to the Corps is required or when an applicant requests verification that an activity complies with an NWP. Potential adverse impacts and compliance with the laws cited in 33 CFR 320.3 are controlled by the terms and conditions of each NWP, regional and case-specific conditions, and the review process that is undertaken prior to the issuance of NWPs.

The evaluation of this NWP, and related documentation, considers compliance with each of the following laws, where applicable: Sections 401, 402, and 404 of the Clean Water Act; Section 307(c) of the Coastal Zone Management Act of 1972, as amended; Section 302 of the Marine Protection, Research and Sanctuaries Act of 1972, as amended; the National Environmental Policy Act of 1969; the Fish and Wildlife Act of 1956; the Migratory Marine Game-Fish Act; the Fish and Wildlife Coordination Act, the Federal Power Act of 1920, as amended; the National Historic Preservation Act of 1966; the Interstate Land Sales Full Disclosure Act; the Endangered Species Act; the Deepwater Port Act of 1974; the Marine Mammal Protection Act of 1972; Section 7(a) of the Wild and Scenic Rivers Act; the Ocean Thermal Energy Act of 1980; the National Fishing Enhancement Act of 1984; and the Magnuson-Stevens Fishery and Conservation and Management Act. In addition, compliance of the NWP with other Federal requirements, such as Executive Orders and Federal regulations addressing issues such as floodplains, essential fish habitat, and critical resource waters is considered.

1.3.2 Terms and Conditions

Many NWPs have notification requirements that trigger case-by-case review of certain activities. Two NWP general conditions require case-by-case review of all activities that may adversely affect Federally-listed endangered or threatened species or historic properties (i.e., general conditions 17 and 18). General condition 15 restricts the use of NWPs for activities that are located in Federally-designated wild and scenic rivers. None of the NWPs authorize artificial reefs. General condition 24 prohibits the use of an NWP with other NWPs, except when the acreage loss of waters of the United States does not exceed the highest specified acreage limit of the NWPs used to authorize the single and complete project.

In some cases, activities authorized by an NWP may require other federal, state, or local authorizations. Examples of such cases include, but are not limited to: activities that are in marine sanctuaries or affect marine sanctuaries or marine mammals; the ownership, construction, location, and operation of ocean thermal conversion facilities or deep water ports beyond the territorial seas; activities that result in discharges of dredged or fill material into waters of the United States and require Clean Water Act Section 401 water quality certification; or activities in a state operating under a coastal zone management program approved by the Secretary of Commerce under the Coastal Zone Management Act. In such cases, a provision of the NWPs states that an NWP does not obviate the need to obtain other authorizations required by law. [33 CFR 330.4(b)(2)]

Additional safeguards include provisions that allow the Chief of Engineers, division engineers, and/or district engineers to: assert discretionary authority and require an individual permit for a specific activity; modify NWPs for specific activities by adding special conditions on a case-by-case basis; add conditions on a regional or nationwide basis to certain NWPs; or take action to suspend or revoke an NWP or NWP authorization for activities within a region or state. Regional conditions are imposed to protect important regional concerns and resources. [33 CFR 330.4(e) and 330.5]

1.3.3 Review Process

The analyses in this document and the coordination that was undertaken prior to the issuance of the NWP fulfill the requirements of the National Environmental Policy Act (NEPA), the Fish and Wildlife Coordination Act, and other acts promulgated to protect the quality of the environment.

All NWPs that authorize activities which may result in discharges of dredged or fill material into waters of the United States require water quality certification. NWPs that authorize activities within, or affecting land or water uses within a state that has a Federally-approved coastal zone management program, must also be certified as consistent with the state's program. The procedures to ensure that the NWPs comply with these laws are described in 33 CFR 330.4(c) and (d), respectively.

1.4 Public Comment and Response

For a summary of the public comments received in response to the September 26, 2006, Federal Register notice, refer to the preamble in the Federal Register notice announcing the reissuance of this NWP. The substantive comments received in response to the September 26, 2006, Federal Register notice were used to improve the NWP by changing NWP terms and limits, notification requirements, and/or NWP general conditions, as necessary.

We proposed to modify this NWP to clarify that it authorizes only the reshaping of drainage ditches constructed in waters of the United States where the purpose of reshaping the ditch is to improve water quality. As a result of this modification, we also proposed to remove the

sentence that states why compensatory mitigation is not required for the activities authorized by this NWP.

The purpose of this NWP is to encourage landowners who need to maintain drainage ditches constructed in waters of the United States to do so in a manner that benefits the aquatic environment. The maintenance of a drainage ditch is exempt under Section 404(f)(1)(C) of the Clean Water Act, and does not require a section 404 permit. This exemption does not apply to the reshaping of existing drainage ditches, so landowners have a disincentive to reshape their ditches, even though such reshaping can be beneficial to the aquatic environment. This NWP authorizes those reshaping activities that benefit the aquatic environment.

This NWP was first issued on March 9, 2000, (65 FR 12818) to authorize, to the extent that a section 404 permit is required, the grading of the banks of a currently serviceable ditch to gentler (shallower) slopes than its current or original configuration. Reshaping a drainage ditch so that it has shallower side slopes can help improve water quality by decreasing the velocity of water flowing through the ditch and by spreading out water flow over a greater area of soil surface. It should also provide more area for plants to become established and grow within the ditch. These changes are likely to help improve water quality by increasing water contact with vegetation and soil microbes, which facilitates the removal of nutrients and other chemical compounds through biogeochemical processes. Slower water flow rates through the ditch should also decrease erosion, further improving water quality.

We proposed to remove the prohibition against permanent sidecasting of excavated material into waters of the United States, where the excavated material results from the ditch reshaping activity. In cases where there are jurisdictional wetlands or other waters next to the ditch to be reshaped, this prohibition is likely to cause many landowners to maintain the ditch at its originally designed configuration to qualify for the exemption, since the 404(f)(1)(C) exemption allows discharges of dredged or fill material into waters of the United States resulting from ditch maintenance activities.

Some commenters supported the modifications to this NWP because they encourage landowners to maintain drainage ditches in a manner that benefits the aquatic environment. Several commenters also agreed with the proposal to remove the prohibition against permanent sidecasting of excavated materials into waters of the United States. Several other commenters did not support allowing permanent sidecasting of material excavated from reshaped ditches. These commenters suggested that the sidecasting would have adverse impacts that exceed the water quality improvements. One commenter suggested we provide conditions on the sidecast material, such as requiring the fill to be no higher than 18 inches, so that the hydric soils will retain their hydric characteristics. They also suggested requiring random distribution of the material and that the sidecast should not interfere with surface water flows. Another commenter indicated that permanent sidecasting that isolates wetlands on-site, rendering them non-jurisdictional, should not be allowed.

The exemption at 404 (f)(1)(C) allows sidecasting, but prohibits reshaping drainage ditches. This NWP provides an incentive to improve water quality through reshaping the drainage ditches while still allowing sidecasting of the material. The Corps believes that allowing the sidecasting under this NWP will encourage landowners to reshape existing drainage ditches in favor of water quality improvements instead of conducting traditional maintenance activities. The Corps recognizes the need to ensure that the sidecasting has minor impacts on the aquatic environment and does not isolate wetlands. Regional conditions may be added to ensure that the individual and cumulative impacts are minimal. We note that the presence of a man-made berm between wetlands and adjacent waters does not necessarily make the wetlands non-jurisdictional.

Some commenters suggested that many drainage ditches are within what was a historical stream that has been straightened and many of these drainage ditches are used by anadromous salmonids as transport to upstream spawning grounds and for juvenile rearing. One commenter suggested this NWP should not be used in waterbodies bearing salmon where a state or federal watershed analysis or limiting factors analysis has determined that off-channel rearing habitat is limiting or potentially limiting to salmonid production. The commenters indicated that an individual permit should be required for work in ditches that are accessible to anadromous salmonids. The commenter suggested if this NWP is utilized in such waterbodies, a regional condition should require a delineation of pools and riffles and that reshaping be conducted in a manner that does not reduce volume and surface area of pools or other suitable low velocity habitat.

The Corps agrees that these are important concerns but they only relate to certain areas. Division and district engineers will impose regional conditions or case-specific conditions, so that adverse effects to salmon species that utilize these drainage ditches are minimal, individually and cumulatively.

One commenter suggested this NWP should allow for the restoration of ditches that lose their original shape, become vegetated, and obtain characteristics of wetlands due to long ditch maintenance cycles, which are often greater than 20 years.

The Corps believes that this NWP may potentially be used in such areas in cases where the purpose of the work is to improve water quality. However, to be eligible to use this NWP, the drainage ditches must be currently serviceable and not so degraded that the area appears to have more the characteristics of a wetland than those of a drainage ditch.

One commenter suggested this NWP should authorize reshaping of natural drainage features. The commenter indicated that reshaping unvegetated streambeds, channels, and watercourses with vertical banks subject to continuous erosion would provide flatter and vegetated side slopes, which would improve water quality.

We do not agree that this NWP should be modified to authorize alterations to the geomorphology of natural streams and other waters of the United States. Such changes to natural waterbodies may result in more than minimal adverse effects to the aquatic

environment. Other forms of Department of the Army authorization may be more appropriate to authorize this type of work.

Another commenter indicated that the amount of change in reshaping is not specified.

We do not believe it is necessary to place a limit on the cubic yards of change that can occur with this permit. We believe if the purpose is to reshape the ditch and improve water quality, an upper limit does not need to be specified.

One commenter indicated that the term "...ditches constructed in waters of the United States" is confusing and suggested changing it to "serviceable drainage ditches which were constructed in regulated wetlands or by channelizing waters of the United States." Another commenter stated that the Corps has too narrowly defined what constitutes a drainage ditch. The commenter indicated that a large number of streams in the United States have had some channelization and some people refer to these water bodies as drainage ditches. The commenter is concerned that some natural waterbodies will be reshaped, which would actually reduce water quality.

We believe the current phrasing is simple and concise, since jurisdictional wetlands are waters of the United States. This NWP is intended for currently serviceable drainage ditches and the applicability of the NWP can be determined on a case-by-case basis by the district engineers. This NWP does not authorize the channelization of existing streams and it does not authorize the relocation of those streams. In addition, this NWP does not authorize the reshaping of natural waterbodies. If a ditch has become incised, this NWP may potentially be used to reshape the ditch, thereby making it more stable.

Another commenter is concerned about the lack of required documentation or demonstration of how the proposed reshaping will meet this basic condition of NWP eligibility. The commenter also questioned why the Corps does not define the term "improving water quality" and does not explain how to evaluate a project that improves some aspects of water quality, but harms others. One commenter suggested a wording change to say, "for the purpose of stabilizing eroded banks" instead of "for the purpose of water quality." The commenter indicated that saying the work is for the purpose of improving water quality is vague and subject to misinterpretation.

The work authorized by this permit is designed to improve water quality by regrading the drainage ditch with gentler slopes, which can reduce erosion, increase growth of vegetation, and increase uptake of nutrients and other substances by vegetation. We have added this language to the NWP. More stable banks may result from these activities, but the primary objective of these projects is to improve water quality. We recognize that the environmental benefits of these activities usually need to be determined subjectively.

A commenter was also concerned that the NWP does not require an applicant to prove the proposed ditch reshaping activity will not increase the area drained by the ditch. The commenter is concerned this NWP has a high potential for abuse and will attract landowners

looking for authorization to make their ditches larger to drain wetlands more thoroughly and they suggest that the Corps will need to dedicate more resources to track and monitor the use of this permit. The commenter also indicated there must be a limit on the extent of impacts authorized under this permit and that extensive reshaping of drainage ditches should be subject to individual permit review.

The Corps believes that the pre-construction notification requirement for this NWP will allow us to review larger-scale proposals and ensure that additional wetlands are not drained by the work. We have modified the text of this NWP, to prevent drainage of additional wetlands. We have replaced the phrase "original design capacity" with "original as-built capacity" to reflect the extent of drainage that occurred when the drainage ditches were originally constructed. We have also changed the word "designed" to "constructed" in that sentence to ensure that the reshaping activity does not drain additional waters. We believe these changes will help prevent increases in the area drained by these ditches, especially in those cases where the ditch did not achieve its design capacity when it was originally constructed.

A commenter recommended modifying the requirement that the capacity of the ditch must be the same as originally designed. The commenter is concerned that the only way for the capacity to remain the same is if the side slopes are increased is to narrow the bottom of the existing ditch. The commenter expressed concern about narrowing the bottom of the ditch and still having a stable system. The commenter suggested requiring the bottom width and depth of the ditch to be the same as originally designed.

We do not agree that this language should be changed, except to refer to the as-built capacity or the original construction of the ditch, for the reasons discussed above. The Corps believes that changing the language as recommended in the previous paragraph may unduly restrict the design criteria, because there may be some cases where the bottom width and depth would change, but the capacity would remain the same; therefore, we are keeping the current language. The important point is that this NWP may not be used to increase the capacity of the ditch.

A commenter requested that some provisions be made to allow for an increase in capacity to accommodate increased drainage in the watershed. Due to increased runoff, ditches may have become incised and restoring stable slopes may require increased capacity. The commenter suggested not restricting the permit to original design capacity, since this does not allow for laying back the side slopes without decreasing maximum depth to avoid increasing cross sectional area. Another commenter indicated that there may be constricted conditions that do not allow for shallow side slopes and wanted to know if there would be flexibility in the use of NWP 41.

Modifying this NWP to allow increased drainage capacity would be contrary to the intent of the NWP, which is to authorize changes in the ditch that help improve water quality. If the site characteristics do not support reshaping the ditch in a manner that improves water quality, without increasing drainage capacity, then this NWP cannot be used. Modifications

of drainage ditches to accommodate changes in watershed hydrology or site limitations may be authorized by other types of Department of the Army permits.

One commenter asked if the NWP 41 would authorize the reshaping of existing drainage ditches that were not constructed in waters of the Unites States but now contain an ordinary high water mark or wetlands.

This NWP may be used in currently serviceable drainage ditches to the extent that they are jurisdictional. Division or district engineers can make a determination on the applicability of this NWP on a case-by-case basis.

A commenter was concerned about the prohibition against stream channelization activities. The commenter suggested that activities that modify the cross sectional configuration of drainage ditches could easily be interpreted as manipulation of a stream's condition that causes more than minimal interruption of normal stream processes. The commenter encouraged the Corps to remove the channelization restriction from NWP 41.

The intent of this NWP is to authorize the reshaping of ditches to provide more stable conditions, which will improve water quality. The Corps does not believe this permit should allow channelization of streams.

Several commenters questioned why this NWP excludes non-tidal wetlands adjacent to tidal waters. The commenters asked why it matters whether currently serviceable drainage ditches were originally constructed in non-tidal wetland adjacent to tidal waters or in upland settings.

We believe that excluding ditch reshaping activities in non-tidal wetlands adjacent to tidal waters is necessary to ensure that the adverse effects on the aquatic environment will be minimal, individually and cumulatively. Wetlands adjacent to tidal waters tend to have a high level of ecological and hydrologic connectivity with tidal waters. Ditch reshaping activities in these areas may have more than minimal adverse effects and can be better addressed by other general permits or individual permits.

One commenter stated that this NWP should have a 500 linear foot limit and a 250-foot pre-construction notification threshold and that mitigation must be required for all adverse impacts to the aquatic environment authorized under this permit. Another commenter said that the activities authorized by this NWP would result in more than minimal adverse effects.

The Corps believes that the pre-construction notification threshold is sufficient. Since we will see all proposals that are over 500 linear feet, we will have the opportunity to determine if the impacts are more than minimal. The Corps does not believe this NWP will cause a permanent loss of waters, since the work involves reshaping existing drainage ditches to improve water quality, therefore, mitigation is not required.

Several commenters suggested that removing some of the language from the NWP 41 issued in 2002 made the permit less clear. One commenter suggested that the Corps add language stating indicating that this NWP is limited to reshaping activities that would restore more natural stream characteristics such as increasing the area of riparian vegetation through regrading or recreating stream meanders.

The Corps believes that including this type of language would go beyond the intent of this NWP, which is to authorize the reshaping of existing drainage ditches that may not have ever contained meanders or other natural stream characteristics.

Other commenters suggested putting the language from the 2002 NWP 41 about compensatory mitigation back in the NWP.

The Corps agrees and the following language has been placed in the final version of NWP 41: "Compensatory mitigation is not required because the work is designed to improve water quality."

Two commenters said that the estimates of use and impacts are inaccurate, since they are based on past use of NWP 41 where sidecasting was prohibited. One commenter stated that the estimates in the draft decision document do not include activities that do not require pre-construction notification.

A survey of district offices was used to estimate the number of times this NWP would be used to authorize ditch reshaping activities that involve sidecasting into waters of the United States. We have revised the estimates to include activities that do not require pre-construction notification.

Two commenters disagreed that the proposed NWP will result in cost savings by removing prohibition against sidecasting in waters of the United States.

The draft decision document stated that cost savings will result from not having to obtain individual permits for these activities. In general, NWP authorizations are less expensive to obtain than individual permits, which require a public notice and comment process, as well as more detailed analyses.

2.0 Alternatives

This evaluation includes an analysis of alternatives based on the requirements of NEPA, which requires a more expansive review than the Clean Water Act Section 404(b)(1) Guidelines. The alternatives discussed below are based on an analysis of the potential environmental impacts and impacts to the Corps, Federal, Tribal, and state resource agencies, general public, and prospective permittees. Since the consideration of off-site alternatives under the 404(b)(1) Guidelines does not apply to specific projects authorized by general permits, the alternatives analysis discussed below consists of a general NEPA

alternatives analysis for the NWP.

2.1 No Action Alternative (No Nationwide Permit)

The no action alternative would not achieve one of the goals of the Corps Nationwide Permit Program, which is to reduce the regulatory burden on applicants for activities that result in minimal adverse effects on the aquatic environment, individually or cumulatively. The no action alternative would also reduce the Corps ability to pursue the current level of review for other activities that have greater adverse effects on the aquatic environment, including activities that require individual permits as a result of the Corps exercising its discretionary authority under the NWP program. The no action alternative would also reduce the Corps ability to conduct compliance actions.

If this NWP is not available, substantial additional resources would be required for the Corps to evaluate these minor activities through the individual permit process, and for the public and Federal, Tribal, and state resource agencies to review and comment on the large number of public notices for these activities. In a considerable majority of cases, when the Corps publishes public notices for proposed activities that result in minimal adverse effects on the aquatic environment, the Corps typically does not receive responses to these public notices from either the public or Federal, Tribal, and state resource agencies. Another important benefit of the NWP program that would not be achieved through the no action alternative is the incentive for project proponents to design their projects so that those activities meet the terms and conditions of an NWP. The Corps believes the NWPs have significantly reduced adverse effects to the aquatic environment because most applicants modify their projects to comply with the NWPs and avoid the delays and costs typically associated with the individual permit process.

In the absence of this NWP, Department of the Army (DA) authorization in the form of another general permit (i.e., regional or programmatic general permits, where available) or individual permits would be required. Corps district offices may develop regional general permits if an NWP is not available, but this is an impractical and inefficient method for activities with minimal individual or cumulative adverse effects on the aquatic environment that are conducted across the Nation. Not all districts would develop these regional general permits for a variety of reasons. The regulated public, especially those companies that conduct work in more than one Corps district, would be adversely affected by the widespread use of regional general permits because of the greater potential for lack of consistency and predictability in the authorization of similar activities with minimal adverse effects on the aquatic environment. These companies would incur greater costs in their efforts to comply with different regional general permit requirements between Corps districts. Nevertheless, in some states Corps districts have issued programmatic general permits to take the place of this and other NWPs. However, this approach only works in states with regulatory programs comparable to the Corps Regulatory Program.

2.2 National Modification Alternatives

Since the Corps Nationwide Permit program began in 1977, the Corps has continuously strived to develop NWPs that authorize activities that result only in minimal adverse effects on the aquatic environment, individually or cumulatively. Every five years the Corps reevaluates the NWPs during the reissuance process, and may modify an NWP to address concerns for the aquatic environment. Utilizing collected data and institutional knowledge concerning activities authorized by the Corps regulatory program, the Corps reevaluates the potential impacts of activities authorized by NWPs. The Corps also uses substantive public comments on proposed NWPs to assess the expected impacts. This NWP was developed to authorize discharges of dredged or fill material into waters of the United States to reshape currently serviceable drainage ditches constructed in waters of the United States, in cases where those activities have minimal adverse effects on the aquatic environment. The Corps has considered alternative terms and applicable waters for this NWP, as well as modifying or adding NWP general conditions, as discussed in the preamble of the Federal Register notice announcing the issuance of this NWP.

In the September 26, 2006, Federal Register notice, the Corps requested comments on the proposed reissuance of this NWP. The Corps proposed to change this NWP by clarifying that the NWP authorizes only those ditch reshaping activities that are conducted to improve water quality. The Corps also proposed to remove the prohibition against permanent sidecasting of excavated materials into waters of the United States next to the drainage ditch.

2.3 Regional Modification Alternatives

An important aspect for the NWPs is the emphasis on regional conditions to address differences in aquatic resource functions, services, and values across the nation. All Corps divisions and districts are expected to add regional conditions to the NWPs to enhance protection of the aquatic environment and address local concerns. Division engineers can also revoke an NWP if the use of that NWP results in more than minimal adverse effects on the aquatic environment, especially in high value or unique wetlands and other waters.

Corps divisions and districts also monitor and analyze the cumulative adverse effects of the NWPs, and if warranted, further restrict or prohibit the use of the NWPs to ensure that the NWPs do not authorize activities that result in more than minimal adverse effects on the aquatic environment. To the extent practicable, division and district engineers will use regulatory automated information systems and institutional knowledge about the typical adverse effects of activities authorized by NWPs, as well as substantive public comments, to assess the individual and cumulative adverse effects on the aquatic environment resulting from regulated activities. When conducting such assessments, division and district engineers can only consider those activities regulated by the Corps under Section 10 of the Rivers and Harbors Act, Section 404 of the Clean Water Act, and Section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972. Adverse impacts resulting from activities outside of the Corps scope of review, such as the construction or expansion of upland developments, cannot be considered in the Corps analysis of cumulative adverse

effects on the aquatic environment.

2.4 Case-specific On-site Alternatives

Although the terms and conditions for this NWP have been established at the national level to authorize most activities that have minimal adverse effects on the aquatic environment, division and district engineers have the authority to impose case-specific special conditions on an NWP authorization to ensure that the authorized work will result in minimal adverse effects.

General condition 20 requires the permittee to minimize and avoid impacts to waters of the United States to the maximum extent practicable on the project site. Off-site alternatives cannot be considered for activities authorized by NWPs. During the evaluation of a pre-construction notification, the district engineer may determine that additional avoidance and minimization is practicable. The district engineer may also condition the NWP authorization to require compensatory mitigation to offset losses of waters of the United States and ensure that the net adverse effects on the aquatic environment are minimal. As another example, the NWP authorization can be conditioned to prohibit the permittee from conducting the work during specific times of the year to protect spawning fish and shellfish. If the proposed work will result in more than minimal adverse effects on the aquatic environment, then the district engineer will exercise discretionary authority and require an individual permit. Discretionary authority can be asserted where there are concerns for the aquatic environment, including high value aquatic habitats. The individual permit review process requires a project-specific alternatives analysis, including the consideration of off-site alternatives, and a public interest review.

3.0 Affected Environment

The affected environment consists of terrestrial and aquatic ecosystems. The total land area in the contiguous United States is approximately 1,930,000,000 acres (Dahl 2006). Alaska is 366,050,000 acres in size and Hawaii is 4,110,720 acres in size (source: http://www.usgs.gov/state/ , accessed July 25, 2005). Terrestrial ecosystems comprise more than 93 percent of the contiguous United States and most are abundant compared to aquatic ecosystems, which make up the remainder (Dahl 2006). In the contiguous United States, approximately 67 percent of the land is privately owned, 31 percent is held by the United States government, and two percent is owned by state or local governments (Dale et al. 2000). Developed non-federal lands comprise 4.4 percent of the total land area of the contiguous United States (Dale et al. 2000).

The Federal Geographic Data Committee has established the Cowardin system developed by the U.S. Fish and Wildlife Service (USFWS) (Cowardin et al. 1979) as the national standard for wetland mapping, monitoring, and data reporting (Dahl 2006) (see also http://www.fgdc.gov/standards/projects/FGDC-standards-projects/wetlands/fgdc-announce , accessed April 3, 2006). The Cowardin system is a hierarchical system which describes

various wetland and deepwater habitats, using structural characteristics such as vegetation, substrate, and water regime as defining characteristics. Wetlands are defined by vegetation type, soils, and flooding frequency. Deepwater habitats are permanently flooded areas located below the wetland boundary. In rivers and lakes, deepwater habitats are usually more than two meters deep.

There are five major systems in the Cowardin classification scheme: marine, estuarine, riverine, lacustrine, and palustrine (Cowardin et al. 1979). The marine system consists of open ocean on the continental shelf and its high energy coastline. The estuarine system consists of tidal deepwater habitats and adjacent tidal wetlands that are usually partially enclosed by land, but may have open connections to open ocean waters. The riverine system generally consists of all wetland and deepwater habitats located within a river channel. The lacustrine system generally consists of wetland and deepwater habitats located within a topographic depression or dammed river channel, with a total area greater than 20 acres. The palustrine system generally includes all non-tidal wetlands and wetlands located in tidal areas with salinities less than 0.5 parts per thousand; it also includes ponds less than 20 acres in size. Approximately 95 percent of wetlands in the conterminous United States are freshwater wetlands, and the remaining 5 percent are estuarine or marine wetlands (Dahl 2006).

The Emergency Wetlands Resources Act of 1986 (Public Law 99-645) requires the USFWS to submit wetland status and trends reports to Congress (Dahl 2006). The latest status and trends report, which covers the period of 1998 to 2004, is summarized in Table 3.1.

Table 3.1. Estimated aquatic resource acreages in the conterminous United States in 2004 (Dahl 2006).

Aquatic Habitat Category	Estimated Area in 2004 (acres)
Marine	128,600
Estuarine intertidal non-vegetated	600,000
Estuarine intertidal vegetated	4,571,700
All intertidal waters and wetlands	5,300,300
Palustrine non-vegetated	6,633,900
Palustrine vegetated	95,819,800
• Palustrine emergent wetlands	26,147,000
• Palustrine forested wetlands	52,031,400
• Palustrine shrub wetlands	17,641,400
All palustrine aquatic habitats	102,453,700
Lacustrine deepwater habitats	16,773,400
Riverine deepwater habitats	6,813,300
Estuarine subtidal habitats	17,717,800
All aquatic habitats	149,058,500

The acreage of lacustrine deepwater habitats does not include the open waters of Great Lakes (Dahl 2006).

According to Hall et al. (1994), there are more than 204 million acres of wetlands and deepwater habitats in the State of Alaska, including approximately 174.7 million acres of wetlands. Wetlands and deepwater habitats comprise approximately 50.7 percent of the surface area in Alaska (Hall et al. 1994).

The National Resources Inventory (NRI) is a statistical survey conducted by the Natural Resources Conservation Service (NRCS) (2003) of natural resources on non-federal land in the United States. The NRCS defines non-federal land as privately owned lands, tribal and trust lands, and lands under the control of local and State governments. The land use determined by 2003 NRI is summarized in Table 3.2. The 2003 NRI estimates that there are 110,760,000 acres of palustrine and estuarine wetlands on non-Federal land and water areas in the United States (NRCS 2003).

Table 3.2. The 2003 National Resources Inventory acreages for palustrine and estuarine wetlands on non-federal land, by land cover/use category (NRCS 2003).

National Resources Inventory Land Cover/Use Category	Area of Palustrine and Estuarine Wetlands (acres)
cropland, pastureland, and Conservation Reserve Program land	16,730,000
forest land	65,440,000
rangeland	7,740,000
other rural land	15,800,000
developed land	1,590,000
water area	3,460,000
Total	110,760,000

The land cover/use categories used by the 2003 NRI are defined below (NRCS 2003). Croplands are areas used to produce crops adapted for harvest. Pastureland is land managed for livestock grazing, through the production of introduced forage plants. Conservation Reserve Program land is under a Conservation Reserve Program contract. Forest land is comprised of at least 10 percent single stem woody plant species that will be at least 13 feet tall at maturity. Rangeland is land on which plant cover consists mostly of native grasses, herbaceous plants, or shrubs suitable for grazing or browsing, and introduced forage plant species. Other rural land consists of farmsteads and other farm structures, field windbreaks, marshland, and barren land. Developed land is comprised of large urban and built-up areas (i.e., urban and built-up areas 10 acres or more in size), small built-up areas (i.e., developed lands 0.25 to 10 acres in size) , and rural transportation land (e.g., roads, railroads, and associated rights-of-way outside urban and built-up areas). Water areas are comprised of waterbodies and streams that are permanent open waters.

Leopold, Wolman, and Miller (1964) estimated that there are approximately 3,250,000 miles of river and stream channels in the United States. This estimate is based on an analysis of 1:24,000 scale topographic maps, by stream order. This estimate does not include many small streams. Many small streams are not mapped on 1:24,000 scale U.S. Geological Survey topographic maps (Leopold 1994) or included in other analyses (Meyer and Wallace 2001). In a study of stream mapping in the southeastern United States, only 20% of the stream network was mapped on 1:24,000 scale topographic maps, and nearly none of the observed intermittent or ephemeral streams were indicated on those maps (Hansen 2001). For a 1:24,000 scale topographic map, the smallest tributary found by using 10-foot contour interval has drainage area of 0.7 square mile and length of 1,500 feet, and smaller channels are common throughout the United States (Leopold 1994). Due to the difficulty in mapping small streams, there are no accurate estimates of the total number of river or stream miles in the conterminous United States that may be classified as "waters of the United States."

The USFWS status and trends study does not assess the condition or quality of wetlands and deepwater habitats (Dahl 2006). The Nation's aquatic resource base is underestimated by the USFWS status and trends study, the National Wetland Inventory (NWI), and studies that estimate the length or number of stream channels within watersheds (see above). The 2006 status and trends study does not include Alaska and Hawaii. The underestimate by the status and trends study and the NWI results from the minimum size of wetlands detected through remote sensing techniques and the difficulty of identifying certain wetland types through those remote sensing techniques. The NWI maps do not show small or linear wetlands (Tiner 1997) that may be directly impacted by activities authorized by NWPs. For the latest USFWS status and trends study, most of the wetlands identified are larger than 2.5 acres, but the minimum size of detectable wetland varies by wetland type (Dahl 2006). Some wetland types less than one acre in size can be identified; the smallest wetland detected for the most recent status and trends report was 0.005 acre (Dahl 2006). Because of the limitations of remote sensing techniques, certain wetland types are not included in the USFWS status and trends study: seagrass beds, submerged aquatic vegetation, submerged reefs, certain types of forested wetlands, and emergent wetlands along the Pacific coast (Dahl 2006). Therefore, activities authorized by NWPs will adversely affect a smaller proportion of the Nation's wetland base than indicated by the wetlands acreage estimates provided in the most recent status and trends report, or the NWI maps for a particular region.

Not all of the Nation's aquatic resources are subject to regulatory jurisdiction under Section 404 of the Clean Water Act. Waters of the United States subject to Section 404 of the Clean Water Act are defined at 33 CFR part 328. Some wetlands are not subject to Clean Water Act jurisdiction because they do not meet the criteria at Part 328. In its decision in *Solid Waste County of Northern Cook County v. U.S. Army Corps of Engineers*, 531 U.S. 159 (2001), the U.S. Supreme Court ruled that Clean Water Act jurisdiction does not apply to isolated, intrastate, non-navigable waters based on their use as habitat for migratory birds. Tiner (2003) estimated that in some areas of the country, the proportion of wetlands that are geographically isolated, and may not be subject to Clean Water Act jurisdiction is approximately 20 to 50 percent of the wetland area, and there are other areas where more than 50 percent of the wetlands are geographically isolated. Geographically isolated wetlands comprise a substantial proportion of the wetlands found in regions with arid, semi-arid, and semi-humid climates, as well as areas with karst topography (Tiner 2003). However, it is difficult to determine from maps or aerial photographs whether wetlands are hydrologically isolated from other waters, because there may be small surface hydrologic connections that are not included on those maps or detected by those photographs (Tiner 2003).

This NWP authorizes discharges of dredged or fill material into non-tidal waters of the United States, excluding non-tidal wetlands adjacent to tidal waters. These waters are included in the palustrine, lacustrine, and riverine systems of the Cowardin classification system.

Wetland functions are the biophysical processes that occur within a wetland (King et al. 2000). Wetlands provide many functions, such as habitat for fish and shellfish, habitat for

waterfowl and other wildlife, habitat for rare and endangered species, food production, plant production, flood conveyance, flood-peak reduction, flood storage, shoreline stabilization, water supply, ground water recharge, pollutant removal, sediment accretion, and nutrient uptake (NRC 1992).

Functions provided by streams include sediment transport, water transport, transport of nutrients and detritus, habitat for many species of plants and animals (including endangered or threatened species), and maintenance of biodiversity (NRC 1992). Streams also provide nutrient cycling functions, food web support, and transport organisms (Allan 1995).

Freshwater ecosystems provide services such as water for drinking, household uses, manufacturing, thermoelectric power generation, irrigation, and aquaculture; production of finfish, waterfowl, and shellfish; and non-extractive services, such as flood control, transportation, recreation (e.g., swimming and boating), pollution dilution, hydroelectric generation, wildlife habitat, soil fertilization, and enhancement of property values (Postel and Carpenter 1997).

Marine ecosystems provide a number of ecosystem services, including fish production; materials cycling (e.g., nitrogen, carbon, oxygen, phosphorous, and sulfur); transformation, detoxification, and sequestration of pollutants and wastes produced by humans; support of ocean-based recreation, tourism, and retirement industries; and coastal land development and valuation, including aesthetics related to living near the ocean (Peterson and Lubchenco 1997).

Activities authorized by this NWP will provide services that are valued by society. For example, the reshaping of currently serviceable drainage ditches in accordance with the terms of this NWP will help improve local water quality by increasing the removal of nutrients, sediments, and other pollutants from the water.

4.0 Environmental Consequences

4.1 General Evaluation Criteria

This document contains a general assessment of the foreseeable effects of the individual activities authorized by this NWP, the anticipated cumulative effects of those activities, and the potential future losses of waters of the United States that are estimated to occur until the expiration date of the NWP. In the assessment of these individual and cumulative effects, the terms and limits of the NWP, notification requirements, and the standard NWP general conditions are considered. The supplementary documentation provided by division engineers will address how regional conditions affect the individual and cumulative effects of the NWP.

The following evaluation comprises the NEPA analysis, the public interest review specified in 33 CFR 320.4(a)(1) and (2), and the impact analysis specified in Subparts C through F of

the 404(b)(1) Guidelines (40 CFR Part 230).

The issuance of an NWP is based on a general assessment of the effects on public interest and environmental factors that are likely to occur as a result of using this NWP to authorize activities in waters of the United States. As such, this assessment must be speculative or predictive in general terms. Since NWPs authorize activities across the nation, projects eligible for NWP authorization may be constructed in a wide variety of environmental settings. Therefore, it is difficult to predict all of the indirect impacts that may be associated with each activity authorized by an NWP. For example, the NWP that authorizes 25 cubic yard discharges of dredged or fill material into waters of the United States may be used to fulfill a variety of project purposes. Indication that a factor is not relevant to a particular NWP does not necessarily mean that the NWP would never have an effect on that factor, but that it is a factor not readily identified with the authorized activity. Factors may be relevant, but the adverse effects on the aquatic environment are negligible, such as the impacts of a boat ramp on water level fluctuations or flood hazards. Only the reasonably foreseeable direct or indirect effects are included in the environmental assessment for this NWP. Division and district engineers will impose, as necessary, additional conditions on the NWP authorization or exercise discretionary authority to address locally important factors or to ensure that the authorized activity results in no more than minimal individual and cumulative adverse effects on the aquatic environment. In any case, adverse effects will be controlled by the terms, conditions, and additional provisions of the NWP. For example, Section 7 Endangered Species Act consultation will be required for activities that may affect endangered or threatened species or critical habitat.

4.2 Impact Analysis

This NWP authorizes discharges of dredged or fill material into non-tidal waters of the United States to reshape existing, currently serviceable drainage ditches constructed in waters of the United States. This NWP does not authorize discharges into tidal waters or non-tidal wetlands adjacent to tidal waters.

Pre-construction notification is required for ditch reshaping activities in excess of 500 linear feet. The pre-construction notification requirement allows district engineers to review certain proposed activities on a case-by-case basis to ensure that the adverse effects of those activities on the aquatic environment are minimal. If the district engineer determines that the adverse effects of a particular project are more than minimal after considering mitigation, then discretionary authority will be asserted and the applicant will be notified that another form of DA authorization, such as a regional general permit or individual permit, is required (see 33 CFR 330.4(e) and 330.5).

Additional conditions can be placed on proposed activities on a regional or case-by-case basis to ensure that the work has minimal adverse effects on the aquatic environment. Regional conditioning of this NWP will be used to account for differences in aquatic resource functions, services, and values across the country, ensure that the NWP authorizes only those activities with minimal individual or cumulative adverse effects on the aquatic

environment, and allow each Corps district to prioritize its workload based on where its efforts will best serve to protect the aquatic environment. Regional conditions can prohibit the use of an NWP in certain waters (e.g., high value waters or specific types of wetlands or waters), lower notification thresholds, or require notification for all work in certain watersheds or types of waters. Specific NWPs can also be revoked on a geographic or watershed basis where the adverse effects resulting from the use of those NWPs are more than minimal.

In high value waters, division and district engineers can: 1) prohibit the use of the NWP in those waters and require an individual permit or regional general permit; 2) impose an acreage limit on the NWP; 3) lower the notification threshold of the NWP to require notification for activities with smaller impacts in those waters; 4) require notification for all activities in those waters; 5) add regional conditions to the NWP to ensure that the adverse environmental effects are minimal; or 6) for those activities that require notification, add special conditions to NWP authorizations, such as compensatory mitigation requirements, to ensure that the adverse effects on the aquatic environment are minimal. NWPs can authorize activities in high value waters as long as the individual and cumulative adverse effects on the aquatic environment are minimal.

The construction and use of fills for temporary access for construction may be authorized by NWP 33 or regional general permits issued by division or district engineers. The related work must meet the terms and conditions of the specified permit(s). If the discharge is dependent on portions of a larger project that require an individual permit, this NWP will not apply. [See 33 CFR 330.6(c) and (d)]

4.3 Cumulative Impacts

The cumulative impacts of an NWP generally depends on the number of times the permit is used on a national basis. However, in a specific watershed, division or district engineers may determine that the cumulative adverse effects of activities authorized by NWPs are more than minimal. Division and district engineers will conduct more detailed assessments for geographic areas that are determined to be potentially subject to more than minimal cumulative adverse effects. Division and district engineers have the authority to require individual permits where the cumulative adverse effects are more than minimal, or add conditions to the NWP either on a case-by-case or regional basis to ensure that the cumulative adverse effects are minimal. When division or district engineers determine that a geographic area is subject to more than minimal cumulative adverse effects due to the use of the NWPs, they will use the revocation and modification procedure at 33 CFR 330.5. In reaching the final decision, they will compile information on the cumulative adverse effects and supplement this document.

Based on reported use of this NWP during fiscal year 2003 and the period of July 1, 2005 to June 30, 2006, a survey of its district offices, and estimates of unreported use, the Corps estimates that this NWP will be used approximately 954 times per year on a national basis, resulting in impacts to approximately 302 acres of waters of the United States, including

jurisdictional wetlands. Compensatory mitigation is not normally required for the activities authorized by this NWP. The demand for these types of activities could increase or decrease over the five-year duration of this NWP. Using the current trend, approximately 4,770 activities could be authorized over a five year period until this NWP expires, resulting in impacts to approximately 1,510 acres of waters of the United States, including jurisdictional wetlands. The required compensatory mitigation will attenuate cumulative impacts on the Nation's aquatic resources, so that the net effects on the aquatic environment resulting from the activities authorized by this NWP will be minimal. The Corps expects that the convenience and time savings associated with the use of this NWP will encourage applicants to design their projects within the scope of the NWP rather than request individual permits for projects which could result in greater adverse impacts to the aquatic environment.

5.0 Public Interest Review

5.1 Public Interest Review Factors (33 CFR 320.4(a)(1))

For each of the 20 public interest review factors, the extent of the Corps consideration of expected impacts resulting from the use of this NWP is discussed, as well as the reasonably foreseeable cumulative adverse effects that are expected to occur. The Corps decision process involves consideration of the benefits and detriments that may result from the activities authorized by this NWP.

(a) Conservation: The activities authorized by this NWP cause negligible modifications of the natural resource characteristics of the project area. This NWP authorizes only modifications of existing drainage ditches and will not substantially affect conservation values. The adverse effects of activities authorized by this NWP on conservation will be minor.

(b) Economics: The reshaping of existing serviceable drainage ditches will have positive impacts on the local economy. During construction, these activities will generate jobs and revenue for local contractors that conduct this type of work.

(c) Aesthetics: The activities authorized by this NWP may alter the visual character of some waters of the United States. The extent and perception of these changes will vary, depending on the size and configuration of the ditch reshaping activity, the nature of the surrounding area, and the public uses of the area. Activities authorized by this NWP can also modify other aesthetic characteristics, such as air quality and the amount of noise, especially during construction.

(d) General environmental concerns: Activities authorized by this NWP will affect general environmental concerns, such as water, air, noise, and land pollution. The authorized work will also affect the physical, chemical, and biological characteristics of the environment. The adverse effects of the activities authorized by this NWP on general environmental concerns will be minor. General condition 20 requires mitigation to minimize adverse

effects to the aquatic environment through avoidance and minimization at the project site. Since the activities authorized by this NWP are intended to improve water quality, compensatory mitigation will not normally be required by district engineers to offset impacts to waters of the United States and ensure that the net adverse effects on the aquatic environment are minimal. It is important to note that the Corps scope of review is usually limited to impacts to aquatic resources. Specific environmental concerns are addressed in other sections of this document.

(e) Wetlands: The reshaping of existing serviceable drainage ditches constructed in non-tidal waters of the United States may impact wetlands, if wetlands are located next to the ditch and the excavated material is being sidecast into those wetlands. This NWP does not authorize discharges into tidal wetlands or non-tidal wetlands adjacent to tidal waters. Some wetlands may be temporarily impacted by the work through the use of temporary staging areas and access roads. These wetlands will be restored, unless the district engineer authorizes another use for the area, but the plant community may be different, especially if the site was originally forested.

Wetlands provide habitat, including foraging, nesting, spawning, rearing, and resting sites for aquatic and terrestrial species. The destruction of wetlands may alter natural drainage patterns. Wetlands reduce erosion by stabilizing the substrate. Wetlands also act as storage areas for stormwater and flood waters. Wetlands may act as groundwater discharge or recharge areas. The loss of wetland vegetation will adversely affect water quality because these plants trap sediments, pollutants, and nutrients and transform chemical compounds. Wetland vegetation also provides habitat for microorganisms that remove nutrients and pollutants from water. Wetlands, through the accumulation of organic matter, act as sinks for some nutrients and other chemical compounds, reducing the amounts of these substances in the water.

General condition 20 requires avoidance and minimization of impacts to waters of the United States, including wetlands, at the project site. Compensatory mitigation may be required by district engineers to ensure that the net adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit the use of this NWP in high value non-tidal wetlands. District engineers will also exercise discretionary authority to require an individual permit if the wetlands to be filled are high value and the work will result in more than minimal adverse effects on the aquatic environment. District engineers can also add case-specific special conditions to the NWP authorization to reduce impacts to wetlands or require compensatory mitigation to offset losses of wetlands.

(f) Historic properties: General condition 18 states that in cases where the district engineer determines that the activity may affect properties listed, or eligible for listing, in the National Register of Historic Places, the activity is not authorized, until the requirements of Section 106 of the National Historic Preservation Act have been satisfied.

(g) Fish and wildlife values: This NWP authorizes activities in non-tidal waters of the United States, including non-tidal wetlands, which provide habitat to many species of fish and wildlife. Activities authorized by this NWP may alter the habitat characteristics of those non-tidal waters, decreasing the quantity and quality of fish and wildlife habitat. However, since this NWP authorizes only reshaping of existing drainage ditches, impacts to stream habitat will be minor. Riparian vegetation may be removed to provide access to reshape the ditch. Wetland and riparian vegetation provides food and habitat for many species, including foraging areas, resting areas, corridors for wildlife movement, and nesting and breeding grounds. Open waters provide habitat for fish and other aquatic organisms. Woody riparian vegetation shades streams, which reduces water temperature fluctuations and provides habitat for fish and other aquatic animals. Riparian vegetation provides organic matter that is consumed by fish and aquatic invertebrates. Woody riparian vegetation creates habitat diversity in streams when trees and large shrubs fall into the channel, forming snags that provide habitat and shade for fish. Pre-construction notification is required for all activities involving the reshaping of greater than 500 linear feet of drainage ditch, which provides the district engineer with an opportunity to review certain activities, assess potential impacts on fish and wildlife values, and ensure that the authorized work results in minimal adverse effects on the aquatic environment.

Compliance with general conditions 3 and 5 will ensure that the authorized work has minimal adverse effects on spawning areas and shellfish beds, respectively. The authorized work cannot have more than minimal adverse effects on breeding areas for migratory birds, due to the requirements of general condition 4.

Consultation pursuant to the essential fish habitat provisions of the Magnuson-Stevens Fishery Conservation and Management Act will occur as necessary for proposed NWP activities that may adversely affect essential fish habitat. Consultation may occur on a case-by-case or programmatic basis. Division and district engineers can impose regional and special conditions to ensure that activities authorized by this NWP will result in minimal adverse effects on essential fish habitat.

(h) Flood hazards: The activities authorized by this NWP will have minimal adverse effects on the flood-holding capacity of 100-year floodplains, since it authorizes activities that would, in most circumstances, have no net adverse effects on the flood-holding capacity of the waterbody. Reshaping existing serviceable drainage ditches may result in minor changes in surface water flow velocities, but these changes should not increase flooding or substantially change the extent of 100-year floodplains. Changes in the flood-holding capacity of 100-year floodplains may impact human health, safety, and welfare. Compliance with general condition 9 will also reduce flood hazards. This general condition requires the permittee to maintain, to the maximum extent practicable, the pre-construction course, condition, capacity, and location of open waters, except under certain circumstances. Much of the land area within 100-year floodplains is upland, and outside of the Corps scope of review.

(i) Floodplain values: Activities authorized by this NWP will have minor adverse effects on

the flood-holding capacity of 100-year floodplains, as well as other floodplain values. Sidecasting of excavated material into the adjacent floodplain may eliminate certain floodplain values. The fish and wildlife habitat values of floodplains will be adversely affected by activities authorized by this NWP, by modifying or eliminating areas used for nesting, foraging, resting, and reproduction. The water quality functions of floodplains may also be adversely affected by these activities. Modification of the floodplain may also adversely affect other hydrological processes, such as groundwater recharge.

Since the NWP authorizes activities that improve water quality, compensatory mitigation will not normally be required. General condition 20 requires avoidance and minimization of impacts to waters of the United States to the maximum extent practicable at the project site, which will reduce losses of floodplain values. Compliance with general condition 9 will ensure that discharges into floodplains (i.e., sidecasting of excavated material) will not cause more than minimal adverse effects on floodplain values, especially flood storage and conveyance.

(j) Land use: Most activities authorized by this NWP will result in no changes in land use, since only existing serviceable drainage ditches constructed in waters of the United States can be reshaped under this NWP. It is unlikely that changes in land use will result from activities authorized by this NWP. Since the primary responsibility for land use decisions is held by state, local, and Tribal governments, the Corps scope of review is limited to significant issues of overriding national importance, such as navigation and water quality (see 33 CFR 320.4(j)(2)).

(k) Navigation: Activities authorized by this NWP will not adversely affect navigation, because the NWP does not authorize activities in Section 10 waters. The activities authorized by this NWP must also comply with general condition 1.

(l) Shore erosion and accretion: The activities authorized by this NWP will have minor direct effects on shore erosion and accretion processes, since the NWP is limited to ditch reshaping activities in non-tidal waters.

(m) Recreation: Activities authorized by this NWP will have negligible adverse effects on the recreational uses of the area, since it only authorizes the reshaping of existing serviceable drainage ditches.

(n) Water supply and conservation: Activities authorized by this NWP may benefit both surface water and groundwater supplies since the authorized work is likely to improve water quality. The activities authorized by this NWP will not increase the amount of impervious surface in the area, and will not decrease replenishment of groundwater supplies. General condition 7 prohibits discharges in the vicinity of public water supply intakes. Under certain circumstances, compensatory mitigation may be required for activities authorized by this NWP, which will help improve the quality of surface waters.

(o) Water quality: Activities authorized by this NWP will improve local water quality by altering the configuration of drainage ditches to increase the removal of nutrients, sediments, and pollutants by vegetation and microorganisms. Losses of wetland and riparian vegetation may occur to provide construction access to the ditch. The loss of wetland and riparian vegetation will adversely affect water quality because these plants trap sediments, pollutants, and nutrients and transform chemical compounds. Wetland and riparian vegetation also provides habitat for microorganisms that remove nutrients and pollutants from water. Wetlands, through the accumulation of organic matter, act as sinks for some nutrients and other chemical compounds, reducing the amounts of these substances in the water column. Wetlands and riparian areas also decrease the velocity of flood waters, removing suspended sediments from the water column and reducing turbidity. Riparian vegetation also serves an important role in the water quality of streams by shading the water from the intense heat of the sun. Compensatory mitigation may be required for activities authorized by this NWP, to ensure that the work does not have more than minimal adverse effects on the aquatic environment, including water quality. Wetlands and riparian areas restored, established, enhanced, or preserved as compensatory mitigation may provide local water quality benefits.

During ditch reshaping activities, small amounts of oil and grease from construction equipment may be discharged into the waterway. Because most of the construction will occur during a relatively short period of time, the frequency and concentration of these discharges are not expected to have more than minimal adverse effects on overall water quality.

This NWP requires a section 401 water quality certification, since it authorizes discharges of dredged or fill material into waters of the United States. Most water quality concerns are addressed by the state or Tribal section 401 agency.

(p) Energy needs: The activities authorized by this NWP will temporarily increase energy consumption in the area during ditch reshaping activities. Overall energy needs will be virtually unaffected by ditch reshaping activities.

(q) Safety: The activities authorized by this NWP will be subject to Federal, state, and local safety laws and regulations. Therefore, this NWP will not adversely affect the safety of the project area.

(r) Food and fiber production: Activities authorized by this NWP will have negligible adverse effects on food and fiber production. Ditch reshaping activities may cause minor decreases in the amount of agricultural land if ditches constructed on farmland are widened with shallower side slopes. The loss of farmland is more appropriately addressed through the land use planning and zoning authority held by state and local governments.

(s) Mineral needs: Activities authorized by this NWP will have negligible effects on mineral needs, since it only authorizes reshaping of existing serviceable drainage ditches constructed in waters of the United States. No new construction is authorized by this NWP; therefore only minor increases in consumption of aggregate and metal construction materials are likely

to occur as a result of the activities authorized by this NWP.

(t) Considerations of property ownership: The NWP complies with 33 CFR 320.4(g), which states that an inherent aspect of property ownership is a right to reasonable private use. The NWP provides expedited DA authorization for discharges of dredged or fill material to reshape existing serviceable drainage ditches constructed in non-tidal waters of the United States, provided the activity complies with the terms and conditions of the NWP and results in minimal adverse effects on the aquatic environment.

5.2 Additional Public Interest Review Factors (33 CFR 320.4(a)(2))

5.2.1 Relative extent of the public and private need for the proposed structure or work

This NWP authorizes discharges of dredged or fill material into non-tidal waters of the United States, excluding non-tidal wetlands adjacent to tidal waters, to modify the cross-sectional configuration of currently serviceable drainage ditches constructed in waters of the United States, as long as those activities that have minimal adverse effects on the aquatic environment, individually and cumulatively. These activities satisfy public and private needs for enhanced water quality. The need for this NWP is based upon the large number of these activities that occur annually with minimal adverse effects on the aquatic environment.

5.2.2 Where there are unresolved conflicts as to resource use, the practicability of using reasonable alternative locations and methods to accomplish the objective of the proposed structure or work

Most situations in which there are unresolved conflicts concerning resource use arise when environmentally sensitive areas are involved (e.g., special aquatic sites, including wetlands) or where there are competing uses of a resource. The nature and scope of the activity, when planned and constructed in accordance with the terms and conditions of this NWP, reduce the likelihood of such conflict. In the event that there is a conflict, the NWP contains provisions that are capable of resolving the matter (see Section 1.2 of this document).

General condition 20 requires permittees to avoid and minimize adverse effects to waters of the United States to the maximum extent practicable on the project site. Consideration of off-site alternative locations is not required for activities that are authorized by general permits. General permits authorize activities that have minimal individual and cumulative adverse effects on the aquatic environment and overall public interest. District engineers will exercise discretionary authority and require an individual permit if the proposed work will result in more than minimal adverse environmental effects on the project site. The consideration of off-site alternatives can be required during the individual permit process.

5.2.3 The extent and permanence of the beneficial and/or detrimental effects which the proposed structure or work is likely to have on the public and private uses to which the area is suited

The nature and scope of the work authorized by the NWP will most likely restrict the extent of the beneficial and detrimental effects to the area immediately surrounding the ditch reshaping activity. Activities authorized by this NWP will have minimal adverse effects on the aquatic environment.

The terms, conditions, and provisions of the NWP were developed to ensure that individual and cumulative adverse environmental effects are minimal. Specifically, NWPs do not obviate the need for the permittee to obtain other Federal, state, or local authorizations required by law. The NWPs do not grant any property rights or exclusive privileges (see 33 CFR 330.4(b) for further information). Additional conditions, limitations, restrictions, and provisions for discretionary authority, as well as the ability to add activity-specific or regional conditions to this NWP, will provide further safeguards to the aquatic environment and the overall public interest. There are also provisions to allow suspension, modification, or revocation of the NWP.

6.0 Clean Water Act Section 404(b)(1) Guidelines Analysis

The 404(b)(1) compliance criteria for general permits are provided at 40 CFR 230.7.

6.1 Evaluation Process (40 CFR 230.7(b))

6.1.1 Alternatives (40 CFR 230.10(a))

General condition 20 requires permittees to avoid and minimize discharges of dredged or fill material into waters of the United States to the maximum extent practicable on the project site. The consideration of off-site alternatives is not directly applicable to general permits.

6.1.2 Prohibitions (40 CFR 230.10(b))

This NWP authorizes discharges of dredged or fill material into waters of the United States, which require water quality certification. Water quality certification requirements will be met in accordance with the procedures at 33 CFR 330.4(c).

No toxic discharges will be authorized by this NWP. General condition 6 states that the material must be free from toxic pollutants in toxic amounts.

This NWP does not authorize activities that jeopardize the continued existence of any listed threatened or endangered species or result in the destruction or adverse modification of critical habitat. Reviews of pre-construction notifications, regional conditions, and local operating procedures for endangered species will ensure compliance with the Endangered

Species Act. Refer to general condition 17 and to 33 CFR 330.4(f) for information and procedures.

This NWP will not authorize the violation of any requirement to protect any marine sanctuary. Refer to section 6.2.3(j)(1) of this document for further information.

6.1.3 Findings of Significant Degradation (40 CFR 230.10(c))

Potential impact analysis (Subparts C through F): The potential impact analysis specified in Subparts C through F is discussed in section 6.2.3 of this document. Mitigation required by the district engineer will ensure that the adverse effects on the aquatic environment are minimal.

Evaluation and testing (Subpart G): Because the terms and conditions of the NWP specify the types of discharges that are authorized, as well as those that are prohibited, individual evaluation and testing for the presence of contaminants will normally not be required. If a situation warrants, provisions of the NWP allow division or district engineers to further specify authorized or prohibited discharges and/or require testing.

Based upon Subparts B and G, after consideration of Subparts C through F, the discharges authorized by this NWP will not cause or contribute to significant degradation of waters of the United States.

6.1.4 Factual determinations (40 CFR 230.11)

The factual determinations required in 40 CFR 230.11 are discussed in section 6.2.3 of this document.

6.1.5 Appropriate and practicable steps to minimize potential adverse impacts (40 CFR 230.10(d))

As demonstrated by the information in this document, as well as the terms, conditions, and provisions of this NWP, actions to minimize adverse effects (Subpart H) have been thoroughly considered and incorporated into the NWP. General condition 20 requires permittees to avoid and minimize discharges of dredged or fill material into waters of the United States to the maximum extent practicable on the project site. Compensatory mitigation required by the district engineer will ensure that the net adverse effects on the aquatic environment are minimal.

6.2 Evaluation Process (40 CFR 230.7(b))

6.2.1 Description of permitted activities (40 CFR 230.7(b)(2))

As indicated by the text of this NWP in section 1.0 of this document, and the discussion of potential impacts in section 4.0, the activities authorized by this NWP are sufficiently similar

in nature and environmental impact to warrant authorization under a single general permit. Specifically, the purpose of the NWP is to authorize discharges of dredged or fill material into certain categories of non-tidal waters of the United States to reshape currently serviceable drainage ditches. The nature and scope of the impacts are controlled by the terms and conditions of the NWP.

The activities authorized by this NWP are sufficiently similar in nature and environmental impact to warrant authorization by a general permit. The terms of the NWP authorize a specific category of activity (i.e., discharges of dredged or fill material to reshape currently serviceable drainage ditches) in a specific category of waters (i.e., non-tidal waters, except for non-tidal wetlands adjacent to tidal waters). The restrictions imposed by the terms and conditions of this NWP will result in the authorization of activities that have similar impacts on the aquatic environment, namely the replacement or modification of aquatic habitats, such as certain categories of non-tidal wetlands, that result when currently serviceable drainage ditches are reshaped to improve water quality.

If a situation arises in which the activity requires further review, or is more appropriately reviewed under the individual permit process, provisions of the NWPs allow division and/or district engineers to take such action.

6.2.2 Cumulative effects (40 CFR 230.7(b)(3))

The cumulative effects, including the number of activities likely to be authorized under this NWP, are discussed in section 4.3 of this document. If a situation arises in which the proposed activity requires further review, or is more appropriately reviewed under the individual permit process, provisions of the NWPs allow division and/or district engineers to take such action.

6.2.3 Section 404(b)(1) Guidelines Impact Analysis, Subparts C through F

(a) Substrate: Discharges of dredged or fill material into waters of the United States will alter the substrate of those waters, usually replacing the aquatic area with dry land, and changing the physical, chemical, and biological characteristics of the substrate. The original substrate will be removed or covered by other material, such as soil. Temporary fills may be placed upon the substrate, but must be removed upon completion of the work (see general condition 13). Higher rates of erosion may result during construction, but general condition 12 requires the use of appropriate measures to control soil erosion and sediment.

(b) Suspended particulates/turbidity: Depending on the method of construction, soil erosion and sediment control measures, equipment, composition of the bottom substrate, and wind and current conditions during construction, fill material placed in open waters will temporarily increase water turbidity. Notification is required for all activities resulting in the reshaping of greater than 500 linear feet of currently serviceable drainage ditch constructed in waters of the United States, which will allow the district engineer to review those activities and ensure that adverse effects on the aquatic environment are minimal.

Particulates will be resuspended in the water column during removal of temporary fills. The turbidity plume will normally be limited to the immediate vicinity of the disturbance and should dissipate shortly after each phase of the construction activity. General condition 12 requires the permittee to stabilize exposed soils and other fills, which will reduce turbidity. In many localities, contractors are required to develop and implement sediment and erosion control plans to minimize the entry of soil into the aquatic environment. NWP activities cannot create turbidity plumes that smother important spawning areas downstream (see general condition 3).

(c) Water: Reshaping currently serviceable drainage ditches may affect some characteristics of water, such as water clarity, chemical content, dissolved gas concentrations, pH, and temperature. These activities may change the chemical and physical characteristics of the waterbody by introducing suspended or dissolved chemical compounds or sediments into the water. Changes in water quality can affect the species and quantities of organisms inhabiting the aquatic area. Water quality certification is required for activities authorized by this NWP that result in discharges of dredged or fill material into waters of the United States, which will ensure that the work does not violate applicable water quality standards. The district engineer may require the establishment and maintenance of riparian areas next to open waters. Riparian areas help improve or maintain water quality, by removing nutrients, moderating water temperature changes, and trapping sediments.

(d) Current patterns and water circulation: Activities authorized by this NWP may adversely affect the movement of water in the aquatic environment. Activities authorized by this NWP that involve reshaping greater than 500 linear feet of currently serviceable drainage ditches require pre-construction notification to the district engineer, which will help ensure that adverse effects to current patterns and water circulation are minimal. General condition 9 requires the authorized activity to be designed to withstand expected high flows and to maintain the course, condition, capacity, and location of open waters to the maximum extent practicable. General condition 10 requires activities to comply with applicable FEMA-approved state or local floodplain management requirements, which will reduce adverse effects to surface water flows.

(e) Normal water level fluctuations: The activities authorized by this NWP will not adversely affect normal patterns of water level fluctuations due to tides and flooding. This NWP does not authorize activities in tidal waters. To ensure that the NWP does not authorize activities that adversely affect normal flooding patterns, general condition 10 requires NWP activities to comply with applicable FEMA-approved state or local floodplain management requirements. General condition 9 requires the permittee to maintain the pre-construction course, condition, capacity, and location of open waters, to the maximum extent practicable.

(f) Salinity gradients: The activities authorized by this NWP are unlikely to adversely affect salinity gradients, since the NWP is restricted to discharges of dredged or fill material into non-tidal waters, excluding non-tidal wetlands adjacent to tidal waters.

(g) Threatened and endangered species: The Corps believes that the procedures currently in place result in proper coordination under Section 7 of the Endangered Species Act (ESA) and ensure that activities authorized by this NWP will not jeopardize the continued existence or any listed threatened and endangered species or result in the destruction or adverse modification of critical habitat. The Corps also believes that current local procedures in Corps districts are effective in ensuring compliance with ESA.

Under general condition 17, no activity is authorized under any NWP which "may affect" a listed species or critical habitat, unless Section 7 consultation addressing the effects of the proposed activity has been completed.

Each activity authorized by an NWP is subject to general condition 17, which states that "[n]o activity is authorized under any NWP which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will destroy or adversely modify the critical habitat of such species." In addition, general condition 17 explicitly states that the NWP does not authorize the taking of threatened or endangered species, which will ensure that permittees do not mistake the NWP authorization as a Federal authorization to take threatened or endangered species. General condition 17 also requires non-federal permittees to notify the district engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or if the project is located in designated critical habitat. This general condition also states that, in such cases, non-federal permittees shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized.

Under the current Corps regulations (33 CFR 325.2(b)(5)), the district engineer must review all permit applications for potential impacts on threatened and endangered species or critical habitat. For the NWP program, this review occurs when the district engineer evaluates the pre-construction notification or request for verification. Based on the evaluation of all available information, the district engineer will initiate consultation with the U.S. Fish and Wildlife Service (USFWS) or National Marine Fisheries Service (NMFS), as appropriate, if he or she determines that the regulated activity may affect any threatened and endangered species or critical habitat. Consultation may occur during the NWP authorization process or the district engineer may exercise discretionary authority to require an individual permit for the proposed activity and initiate consultation through the individual permit process. If ESA consultation is conducted during the NWP authorization process without the district engineer exercising discretionary authority, then the applicant will be notified that he or she cannot proceed with the proposed activity until ESA consultation is complete. If the district engineer determines that the activity will have no effect on any threatened and endangered species or critical habitat, then the district engineer will notify the applicant that he or she may proceed under the NWP authorization.

Corps districts have, in most cases, established informal or formal procedures with local offices of the USFWS and NMFS, through which the agencies share information regarding

threatened and endangered species and their critical habitat. This information helps district engineers determine if a proposed activity may affect endangered species or their critical habitat and, if necessary, initiate consultation. Corps districts may utilize maps or databases that identify locations of populations of threatened and endangered species and their critical habitat. Where necessary, regional conditions are added to NWPs to require notification for activities that occur in known locations of threatened and endangered species or critical habitat. For activities that require agency coordination during the pre-construction notification process, the USFWS and NMFS will review the proposed work for potential impacts to threatened and endangered species and their critical habitat. Any information provided by local maps and databases and any comments received during the pre-construction notification review process will be used by the district engineer to make a "no effect" or "may affect" decision.

Based on the safeguards discussed above, especially general condition 17 and the NWP regulations at 33 CFR 330.5(f), the Corps has determined that the activities authorized by this NWP will not jeopardize the continued existence of any listed threatened or endangered species or result in the destruction or adverse modification of designated critical habitat. Although the Corps continues to believe that these procedures ensure compliance with ESA, the Corps has taken some steps to provide further assurance. Corps district offices have met with local representatives of the USFWS and NMFS to establish or modify existing procedures, where necessary, to ensure that the Corps has the latest information regarding the existence and location of any threatened or endangered species or their critical habitat. Corps districts can also establish, through local procedures or other means, additional safeguards that ensure compliance with ESA. Through formal consultation under Section 7 of the Endangered Species Act, or through other coordination with the USFWS and/or the NMFS, as appropriate, the Corps will establish procedures to ensure that the NWP will not jeopardize any threatened and endangered species or result in the destruction or adverse modification of designated critical habitat. Such procedures may result in the development of regional conditions added to the NWP by the division engineer, or in special conditions to be added to an NWP authorization by the district engineer.

(h) Fish, crustaceans, molluscs, and other aquatic organisms in the food web. Fish and other motile animals will avoid the project site during construction. Sessile or slow-moving animals in the path of discharges, equipment, and building materials will be destroyed. Some aquatic animals may be smothered by the placement of fill material. Motile animals will return to those areas that are temporarily impacted by the work and restored or allowed to revert back to preconstruction conditions. Aquatic animals will not return to sites of permanent fills. Benthic and sessile animals are expected to recolonize sites temporarily impacted by the work, after those areas are restored. Activities that alter the riparian zone, especially floodplains, may adversely affect populations of fish and other aquatic animals, by altering stream flow, flooding patterns, and surface and groundwater hydrology. Some species of fish spawn on floodplains, which could be prevented if the activity involves clearing or filling the floodplain.

Division and district engineers can place conditions on this NWP to prohibit discharges during important stages of the life cycles of certain aquatic organisms. Such time of year restrictions can prevent adverse effects to these aquatic organisms during reproduction and development periods. General conditions 3 and 5 address protection of spawning areas and shellfish beds, respectively. General condition 3 states that activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. In addition, general condition 3 also prohibits activities that result in the physical destruction of important spawning areas. General condition 5 prohibits activities in areas of concentrated shellfish populations. General condition 9 requires the maintenance of pre-construction course, condition, capacity, and location of open waters to the maximum extent practicable, which will help minimize adverse impacts to fish, shellfish, and other aquatic organisms in the food web.

(i) Other wildlife: Activities authorized by this NWP may result in adverse effects on other wildlife associated with aquatic ecosystems, such as resident and transient mammals, birds, reptiles, and amphibians, through the destruction of aquatic habitat, including breeding and nesting areas, escape cover, travel corridors, and preferred food sources. This NWP does not authorize activities that jeopardize the continued existence of Federally-listed endangered and threatened species or result in the destruction or adverse modification of critical habitat. Compensatory mitigation, including the establishment and maintenance of riparian areas next to open waters, may be required for activities authorized by this NWP, which will help offset losses of aquatic habitat for wildlife. General condition 4 states that activities in breeding areas for migratory birds must be avoided to the maximum extent practicable.

(j) Special aquatic sites: The potential impacts to specific special aquatic sites are discussed below:

(1) Sanctuaries and refuges: The activities authorized by this NWP will have minimal adverse effects on waters of the United States within sanctuaries or refuges designated by Federal or state laws or local ordinances. District engineers will exercise discretionary authority and require individual permits for specific projects in waters of the United States in sanctuaries and refuges if those activities will result in more than minimal adverse effects on the aquatic environment.

(2) Wetlands: The activities authorized by this NWP will have minimal adverse effects on wetlands. District engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in certain high value wetlands. See paragraph (e) of section 5.1 for a more detailed discussion of impacts to wetlands.

(3) Mud flats: The activities authorized by this NWP will have minimal adverse effects on mud flats, since the NWP does not authorize activities in tidal waters.

(4) Vegetated shallows: The activities authorized by this NWP will have minimal adverse effects on vegetated shallows in tidal waters, since the NWP does not authorize

activities in tidal waters. For activities in non-tidal waters, district engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in certain high value vegetated shallows.

(5) Coral reefs: The activities authorized by this NWP will have little or no adverse effects on coral reefs, since this NWP does not authorize activities in tidal waters.

(6) Riffle and pool complexes: The activities authorized by this NWP will have negligible adverse effects on riffle and pool complexes, since this NWP authorizes only the reshaping of currently serviceable drainage ditches. District engineers will review pre-construction notifications to ensure that the adverse effects on the aquatic environment are minimal. Division engineers can regionally condition this NWP to restrict or prohibit its use in certain high value riffle and pool complexes.

(k) Municipal and private water supplies: See paragraph (n) of section 5.1 for a discussion of potential impacts to water supplies.

(l) Recreational and commercial fisheries, including essential fish habitat: The activities authorized by this NWP may adversely affect waters of the United States that act as habitat for populations of economically important fish and shellfish species. Division and district engineers can condition this NWP to prohibit discharges during important life cycle stages, such as spawning or development periods, of economically valuable fish and shellfish. Certain activities authorized by this NWP require pre-construction notification to the district engineer, which will allow review of those activities to ensure that adverse effects to economically important fish and shellfish are minimal. Compliance with general conditions 3 and 5 will ensure that the authorized work does not adversely affect important spawning areas or concentrated shellfish populations. As discussed in paragraph (g) of section 5.1, there are procedures to help ensure that impacts to essential fish habitat are minimal, individually or cumulatively. For example, division and district engineers can impose regional and special conditions to ensure that activities authorized by this NWP will result in minimal adverse effects on essential fish habitat.

(m) Water-related recreation: See paragraph (m) of section 5.1 above.

(n) Aesthetics: See paragraph (c) of section 5.1 above.

(o) Parks, national and historical monuments, national seashores, wilderness areas, research sites, and similar areas: This NWP can be used to authorize activities in parks, national and historical monuments, national seashores, wilderness areas, and research sites if the manager or caretaker wants to conduct work in waters of the United States and those activities result in minimal adverse effects on the aquatic environment. Division engineers can regionally condition the NWP to prohibit its use in designated areas, such as national wildlife refuges or wilderness areas.

7.0 Determinations

7.1 Finding of No Significant Impact

Based on the information in this document, the Corps has determined that the issuance of this NWP will not have a significant impact on the quality of the human environment. Therefore, the preparation of an Environmental Impact Statement is not required.

7.2 Public Interest Determination

In accordance with the requirements of 33 CFR 320.4, the Corps has determined, based on the information in this document, that the issuance of this NWP is not contrary to the public interest.

7.3 Section 404(b)(1) Guidelines Compliance

This NWP has been evaluated for compliance with the 404(b)(1) Guidelines, including Subparts C through G. Based on the information in this document, the Corps has determined that the discharges authorized by this NWP comply with the 404(b)(1) Guidelines, with the inclusion of appropriate and practicable conditions, including mitigation, necessary to minimize adverse effects on affected aquatic ecosystems. The activities authorized by this NWP will not result in significant degradation of the aquatic environment.

7.4 Section 176(c) of the Clean Air Act General Conformity Rule Review

This NWP has been analyzed for conformity applicability pursuant to regulations implementing Section 176(c) of the Clean Air Act. It has been determined that the activities authorized by this permit will not exceed de minimis levels of direct emissions of a criteria pollutant or its precursors and are exempted by 40 CFR 93.153. Any later indirect emissions are generally not within the Corps continuing program responsibility and generally cannot be practicably controlled by the Corps. For these reasons, a conformity determination is not required for this NWP.

FOR THE COMMANDER

Dated: MAR - 1 2007

DON T. RILEY
Major General, U.S. Army
Director of Civil Works

8.0 Literature Cited

Allan, J.D. 1995. Stream Ecology: Structure and Function of Running Waters. Chapman and Hall (London). 388 pp.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-79-31. 131 pp.

Dahl, T.E. 2006. Status and trends of wetlands in the conterminous United States 1998 to 2004. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 112 pp.

Hall, J.V., W.E. Frayer, and B.O. Wilen. 1994. Status of Alaska Wetlands. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC. 33 pp.

Hansen, W.F. 2001. Identifying stream types and management implications. Forest Ecology and Management 143:39-46.

King, D.M., Wainger, L.A., C.C. Bartoldus, and J.S. Wakely. 2000. Expanding wetland assessment procedures: Linking indices of wetland function with services and values. ERDC/EL TR-00-17, U.S. Army Engineer Research and Development Center, Vickburg, MS.

Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. Fluvial Processes in Geomorphology. Dover Publications, Inc. (New York). 522 pp.

Leopold, L.B. 1994. A View of the River. Harvard University Press (Cambridge). 298 pp.

Meyer, J.L. and J.B. Wallace. 2001. Lost linkages and lotic ecology: rediscovering small streams. In Ecology: Achievement and Challenge. Ed. by M.C. Press, N.J. Huntly, and S. Levin. Blackwell Science (Cornwall, Great Britain). pp. 295-317.

National Research Council (NRC). 1992. Restoration of Aquatic Ecosystems. National Academy Press (Washington, DC). 552 pp.

Natural Resources Conservation Service (NRCS). 2003. 2003 National Resources Inventory Wetlands Tables. http://www.nrcs.usda.gov/technical/land/nri03/table1.html (accessed 5/20/2005)

Peterson, C.H. and J. Lubchenco. 1997. Marine ecosystem services, in Nature's Services: Societal Dependence on Natural Ecosystems. Edited by G.C. Daily. Island Press (Washington, DC). pp. 177-194.

Postel, S. and S. Carpenter. 1997. Freshwater ecosystem services, in Nature's Services: Societal Dependence on Natural Ecosystems. Edited by G.C. Daily. Island Press

(Washington, DC). pp. 195-214.

Tiner, R.W. 2003. Geographically isolated wetlands in the United States. Wetlands 23:494-516.

Tiner, R. 1997. NWI maps: Basic information on the Nation's wetlands. Bioscience 47:269.