

Species Conclusions Table

Project Manager: Melissa Nash	Project Name: Ashville Park
Date: 12-12-2018	Project Number: NAO-2001-02223

Project Description: Residential development, applicant proposes to clear approximately 3 acres of forested area.

Species Under the Jurisdiction of FWS:

Species/Resource Name	Conclusion	ESA Section 7 / Eagle Act Determination	Species Info / Habitat Description	Notes / Determination
Northern long-eared bat (Myotis septentrionalis)	NLEB: Applying the 4(d) Rule; excepted from take	May affect	<p>"Northern long-eared bats spend winter hibernating in caves and mines, called hibernacula. They typically use large caves or mines with large passages and entrances; constant temperatures; and high humidity with no air currents. Specific areas where they hibernate have very high humidity, so much so that droplets of water are often seen on their fur. Within hibernacula, surveyors find them in small crevices or cracks, often with only the nose and ears visible.</p> <p>During summer, northern long-eared bats roost singly or in colonies underneath bark, in cavities, or in crevices of both live and dead trees. Males and non-reproductive females may also roost in cooler places, like caves and mines. This bat seems opportunistic in selecting roosts, using tree species based on suitability to retain bark or provide cavities or crevices. It has also been found, rarely, roosting in structures like barns and sheds."</p>	Relying upon the findings of the 1/5/2016 Programmatic Biological Opinion for Final 4(d) Rule on the Northern Long-Eared Bat and Activities Excepted from the Take Prohibitions to fulfill our project-specific section 7 responsibilities.

Species Conclusions Table

Date: 12-12-2018	Project Number: NAO-2001-02223
------------------	--------------------------------

Eagles (Haliaeetus leucocephalus)				
Eagle Nests	Unlikely to disturb nesting bald eagles	No Eagle Act permit required		
Eagle Concentration Areas	Does not intersect with bald eagle concentration area	No Eagle Act permit required		
Critical Habitat				
Species Under the Jurisdiction of NMFS				
Atlantic sturgeon	Species not present		Atlantic sturgeon are "anadromous"; adults spawn	Nontidal wetlands-no suitable habitat
Shortnose sturgeon (Acipenser brevirostrum)	Species not present		All life stages; shortnose sturgeon occur in large coastal rivers of eastern North America, from New Brunswick to Florida (Dadswell et al. 1984). In the	Nontidal wetlands-no suitable habitat

NOAA Fisheries				
Essential Fish Habitat	Absent			Nontidal wetlands-no suitable habitat
Anadromous Fish Use Area	No effect			Nontidal wetlands-no suitable habitat
SAV Beds	No effect			Nontidal wetlands-no suitable habitat
HAPC Sandbar Shark	No effect			Nontidal wetlands-no suitable habitat

Other (species not listed above)				

* Copyright © 2014 NatureServe, 4600 N. Fairfax Dr., 7th Floor, Arlington Virginia 22203, U.S.A. All Rights Reserved. Each document delivered from this server or web site may contain other proprietary notices and copyright information relating to that document. The following citation should be used in any published materials which reference the web site.